

LED Explosion-Proof Warning Light ONN-M4EX

Introduction:

- The aluminum alloy shell with tempered glass is sturdy and durable;
- 2. The secondary optical treatment of the light makes the light more uniform and bright;
- 3. Explosion-proof warning light, popular in the industry, with a built-in buzzer.

Application: CNC machine, Automatic equipment,

SMT equipment etc.

Warranty: 2 years

Certification: CE, RoHS, FCC

Ordering code:


| ONN - M4EX <u>1 P B F T RYG</u> | | | | | | |
|---------------------------------|---|--|--|--|--|--|
| 1 2 3 4 5 6 | | | | | | |
| 1.Layer | 1: Single layer, 2.Two layers, 3.Three layers, | | | | | |
| | 4: Four layers, 5: Five layers | | | | | |
| 2. Mounting type | P: Tray Base | | | | | |
| 3. Voltage | B: DC24V | | | | | |
| 4.Function | A: Flashing constant light integrated with Buzzer, F: Steady with buzzer, C: Red flash with buzzer E: All flash with buzzer | | | | | |
| 5.Connect type | C: contact type, T: PNP& NPN | | | | | |
| 6. Color | R: Red, Y: Yellow, G:Green, W:White, B:Blue | | | | | |

Parameter:

| Power | 1.8W for each color |
|---------------------|---------------------------|
| Input voltage | DC24V |
| Current | 60-80mA for each color |
| Working Temperature | -20~45 ℃ |
| IP rating | IP66 |
| Buzzer volume | >85dB |
| Material | PC lens and ABS body |
| Lifetime | 50,000 hours |
| Installation | Fixed by screw or bracket |



Dimension(mm):



\Shenzhen Onn Semi-conductor lighting Co.,Ltd


Tel: +86-755-29566540

Fax: +86-755-27871421


Web: www.onlion88.com



Wiring instruction:



⑥接线方式(Connect type): T、不分正负极(PNP&NPN)



⑥接线方式(Connect type): C、触点式(Contact type)

Logo print service

Your logo can be printed on lamp body, and be illuminated by blue back light.







Package info.:

| Item No. | Qty/carton | Carton size | Total NW. | Total GW. |
|-------------|------------|---------------|-----------|-----------|
| M4-3 layers | 6 pieces | 620*380*460mm | 5.2kg | 7.2kg |

